



Nothing but **HEAVY DUTY.**TM

NEWS

TRANSPORT EDITION



MAINTENANCE



SEE PAGES 2-12

ENGINE WORK



SEE PAGES 13-15

REPAIRS



SEE PAGES 16-22

BODY WORK



SEE PAGES 23-25



M12™

PORTABLE PRODUCTIVITY.
TRADE FOCUSED.
SYSTEM WIDE.

ONE SYSTEM **115** SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



M18™

PERFORMANCE DRIVEN.
TRADE FOCUSED.
SYSTEM WIDE.



ONE SYSTEM **290** SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



LIGHTING



86 SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



PACKOUT™ MODULAR STORAGE SYSTEM

OVER
100 POSSIBLE
COMBINATIONS

SEE THE FULL RANGE ONLINE ▶



PERSONAL PROTECTIVE EQUIPMENT & WORKWEAR



OVER
850 SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



STAY SAFE!
STAY PRODUCTIVE.



HAND TOOLS



OVER
1000 SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



ACCESSORIES



OVER
3000 SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



NEW
M18

REDLITHIUM™ FORGE™

MOST POWER | FASTEST CHARGING | LONGEST LIFE*



1 NEW LITHIUM CELL TECHNOLOGIES

New lithium cell technologies provide higher power, less heat generation and faster charging

2 NEXT GENERATION ELECTRONICS

Innovative next generation electronics maximise full power delivery and accelerate charge speed

3 MECHANICAL REDESIGN

With a laser welded, fully enclosed cell carrier, coupled with a rubber overmould, FORGE™ provides advanced thermal management and vibration protection

4 ADVANCED PROTECTION

With patented ingress coating to protect against water and debris, and resistant housing to protect against common oils, greases and solvents, FORGE™ boasts the longest life*

REDLITHIUM™
FORGE™
MOST POWER
FASTEST CHARGING
LONGEST LIFE

NEW



REDLITHIUM™
HIGH OUTPUT
MORE POWER



REDLITHIUM™



An active cooling system providing high speed cooling to COOL-CYCLE™ capable batteries. The cooling system improves thermal management, helping the battery packs cool while charging, decreasing downtime on the job.



M18 DBSC | ART.# 4932492531

M18™ DUAL BAY SUPERCHARGER

15 MIN SUPERCHARGE TO 80%

SIMULTANEOUSLY CHARGES TWO M18™ BATTERIES

COMPATIBLE WITH ALL M18™ BATTERIES

REDLINK™ INTELLIGENCE, CHARGER COMMUNICATES WITH THE BATTERY PACK TO ENSURE OPTIMISED CHARGE SPEED AND PERFORMANCE



REDLITHIUM™

M18 FB6 | ART.# 4932492533

M18™ FORGE BATTERY 6.0 AH

HIGH OUTPUT™ 12.0 AH POWER IN A SMALLER SIZE

LONGEST LIFE FOR THE MOST RECHARGES AND BEST PERFORMANCE OVER THE LIFE OF THE PACK

RESISTANT HOUSING DESIGNED TO PROVIDE INCREASED PROTECTION AGAINST COMMON OILS, SOLVENTS, AND GREASES

ENHANCED ONBOARD FUEL GAUGE WITH READABILITY IN DIRECT SUN LIGHT



REDLITHIUM™



VIEW THE MILWAUKEE®
M18™ BATTERY AND
CHARGER RANGE

CHARGING TIME COMPARISON

M18™ DUAL BAY SUPERCHARGER

M18 DBSC
ART.# 4932492531

M12™ - M18™ FASTCHARGER

M12-18 FC
ART.# 4932451079

M12™ - M18™ CHARGER

M12-18 C
ART.# 4932352959

NEW

	M18 FB6 4932479265	M18 HB12 4932464260	M18 HB8 4932471070	M18 HB5.5 4932464712	M18 HB3 4932471069	M18 B5-CR 4932479265	M18 B5 4932430483	M18 B4 4932430063	M18 B2 4932430062
15 MIN	45 MIN	33 MIN	25 MIN	25 MIN	42 MIN	42 MIN	36 MIN	16 MIN	
25 MIN	60 MIN	45 MIN	35 MIN	35 MIN	59 MIN	59 MIN	52 MIN	26 MIN	
60 MIN	130 MIN	87 MIN	60 MIN	36 MIN	59 MIN	59 MIN	52 MIN	26 MIN	
115 MIN	250 MIN	167 MIN	115 MIN	65 MIN	100 MIN	100 MIN	80 MIN	40 MIN	

UP TO 80% CHARGED
UP TO 100% CHARGED
UP TO 100% CHARGED
UP TO 100% CHARGED

MAINTENANCE

NEW M18 FHIW2F12-502X | ART.# 4933492784

M18 FUEL 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING

1491 NM FASTENING TORQUE

2034 NM NUT BUSTING TORQUE

4-MODE DRIVE CONTROL

Mode 4 provides maximum nut busting torque and switches to 750 rpm after breakaway for maximum control

INCREASED GEARCASE DURABILITY

TRI-LED'S FOR INCREASED WORKSPACE VISIBILITY

COMPACT 193 MM BODY

ALSO AVAILABLE AS A BARE UNIT

M18 FHIW2F12-0X
ART.# 4933492782

KIT INCLUDES:



STAY SAFE. STAY PRODUCTIVE.

BANDED HEARING PROTECTION
SEE PAGE 37

REDLITHIUM™

NEW M18 BLHIWF12-502X | ART.# 4933498205

M18 1/2" BRUSHLESS HIGH TORQUE IMPACT WRENCH

1085 NM FASTENING TORQUE

1627 NM NUT BUSTING TORQUE

LED LIGHT

221 MM BODY

KIT INCLUDES:



Milwaukee PERFECTMATCH 1/2" IMPACT SOCKET SET STD-13PC 4932480456

REDLITHIUM™

GET THE RIGHT IMPACT WRENCH FOR THE JOB

MILWAUKEE® IMPACT SOCKETS

SEE PAGE 6

COMPACT

MID TORQUE

HIGH PERFORMANCE



138 Nm M12* 339 Nm M16* 339 Nm M16*

M12 BIW12-202C M12 FIWF12-622X FIW2F12-502X
ART.# 4933464616 ART.# 4933464617 ART.# 4933478445



745 Nm M20*

M18 FMTIW2F12-502X
ART.# 4933478451



1085 Nm M33* 1356 Nm M33* 1491 Nm M36* 1627 Nm M33* 2033 Nm M42* 2576 Nm M42*

M18 BLHIWF12-502X ONEFIHWF12-502X FHIW2F12-502X ONEFIHWF34-502X ONEFIHWF1-802X ONEFIHWF1D-121C
ART.# 4933498205 ART.# 4933459728 ART.# 4933471259 ART.# 4933459731 ART.# 4933459734 ART.# 4933471756
M18 ONEFIHWF12-503X
ART.# 4933464770

REDLITHIUM™

REDLITHIUM™ BATTERY TECHNOLOGY

NEW M18 BLPP2E-502B | ART.# 4933498206

M12 FUEL

KIT CONTAINS

- M18 BLHIWF
- M18 BLSAG115XPD
- 2 x M18 B5
- M12-18 C
- Kit Bag



RUBBER SLEEVE FOR M12 FIWF
ART.# 4932478758

RUBBER SLEEVE FOR M18 FIW2F
ART.# 4932478770

RUBBER SLEEVE FOR M18 FMTIW2F
ART.# 4932478771

RUBBER SLEEVE FOR M18 FHIW2F12
ART.# 4932493560

IN THIS KIT



M18 BLHIWF12
ART.# 4933498205

1085Nm fastening torque
1627Nm nut busting torque
221mm body
LED light

11,000 RPM
Compact and Lightweight
Integrated Fixtec System

Non-lockable safety paddle switch with line-lock-out function

Safety clutch protects user the from kickback injuries




M18 BLSAG115XPD
ART.# 4933493911

REDLITHIUM™

M12 FPTR-202X | ART.# 4933480755 (Also available as 0-version)

M12 FUEL INSIDER™ PASS-THROUGH RATCHET



M12 FHIR14LR-0 | ART.# 4933480790

M12 FUEL HIGH SPEED LONG REACH RATCHET 1/4"



M12 FHIR38LR-0 | ART.# 4933480791

M12 FUEL HIGH SPEED LONG REACH RATCHET 3/8"



M12 FHIR14-0 | ART.# 4933478171
(Available as 0-version only)

M12 FUEL 1/4" HIGH SPEED RATCHET



Also available with 3/8" square reception:

M12 FHIR38-0 | ART.# 4933478172

M12 FUEL 3/8" HIGH SPEED RATCHET



M12 ONEFTR38-201C | ART.# 4933464968
(Also available as 0-version)

M12 FUEL ONE-KEY™ 3/8" DIGITAL TORQUE WRENCH ONE-KEY



Also available with 1/2" reception

ONE-KEY

M12 FRAIWF12-0 | ART.# 4933471699

M12 FUEL 1/2" RIGHT ANGLE IMPACT WRENCH



PERFECT MATCH IMPACT RATED SOCKETS & IMPACT TOOLS



STAY SAFE. STAY PRODUCTIVE.

CUT SLEEVES & KNEE PADS SEE PAGE 36+37

For the range of new SHOCKWAVE™ Impact Duty sockets see page 10

REDLITHIUM™


REDLITHIUM™ BATTERY TECHNOLOGY

THE EXTENSIVE
SHOCKWAVE™
IMPACT DUTY
SOCKET RANGE
JUST GOT BIGGER

SHOCKWAVE
IMPACT DUTY



1/4" IMPACT SOCKETS



Hex socket rail + clips 1/4" 350 mm-1 pc
Hex socket rail extra clips 1/4" -10 pc
Hex socket ShW 1/4" deep set-12 pc

ART.#	4932480444	4932480445	4932480453
-------	------------	------------	------------

1/4" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

SIZE (mm)	ART.#
4	4932480251
4.5	4932480252
5	4932480253
5.5	4932480254
6	4932480255
7	4932480256
8	4932480257
9	4932480258
10	4932480259
11	4932480260
12	4932480261
13	4932480262



3/8" IMPACT SOCKETS



ART.#	4932480454	4932480455
INCLUDES	8 x STD sockets: 8,10,12,13,14,15,17,19 mm, 1 x adaptor 1/4" Hex - 3/8" square	8 x deep sockets: 8,10,12,13,14,15,17,19 mm, 1 x adaptor 1/4" Hex - 3/8" square

3/8" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - STANDARD

SIZE (mm)	ART.#
8	4932480265
10	4932480267
11	4932480268
12	4932480269
13	4932480270
14	4932480271
15	4932480272
16	4932480273
17	4932480274
18	4932480275
19	4932480276
21	4932480278
22	4932480279

3/8" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

SIZE (mm)	ART.#
8	4932480282
10	4932480284
11	4932480285
12	4932480286
13	4932480287
14	4932480288
15	4932480289
16	4932480290
17	4932480291
18	4932480292
19	4932480293
21	4932480295
22	4932480296

1/2" IMPACT SOCKETS



ART.#	4932451568
INCLUDES	1/2" impact sockets: 17 / 19 / 21 mm

1/2" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - STANDARD

SIZE (mm)	ART.#
8	4932480302
10	4932480304
11	4932480305
12	4932480306
13	4932480307
14	4932480308
15	4932480309
16	4932480310
17	4932480311
18	4932480312
19	4932480313
21	4932480315
22	4932480316
24	4932480318
27	4932480321
30	4932480324
32	4932480325

1/2" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

SIZE (mm)	ART.#
8	4932480326
10	4932480328
11	4932480329
12	4932480330
13	4932480331
14	4932480332
15	4932480333
16	4932480334
17	4932480335
18	4932480336
19	4932480337
21	4932480339
22	4932480340
24	4932480342
27	4932480345
30	4932480348
32	4932480349

3/4" IMPACT SOCKETS

SIZE (mm)	ART.#
17	4932480361
19	4932480362
21	4932480363
22	4932480364
23	4932480365
24	4932480366
27	4932480367
30	4932480368
32	4932480369
33	4932480370
34	4932480371
36	4932480372
38	4932480373
39	4932480374
41	4932480375
46	4932480376
50	4932480377

3/4" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

SIZE (mm)	ART.#
17	4932480378
19	4932480379
21	4932480381
22	4932480382
23	4932480383
24	4932480384
25	4932480385
26	4932480386
27	4932480387
28	4932480388
29	4932480389
30	4932480390
31	4932480391
32	4932480392
33	4932480393
34	4932480394
35	4932480395
36	4932480396
37	4932480397
38	4932480398
39	4932480399
40	4932480400
41	4932480401
46	4932480402
50	4932480402

ADAPTORS & EXTENSIONS

DRIVE SIZE	DESCRIPTION	ART.#
3/8"	Extension 3/8" - 150 mm	4932480297
3/8"	Extension 3/8" - 250 mm	4932480298
1/2"	Extension 1/2" - 150 mm	4932480352
1/2"	Extension 1/2" - 250 mm	4932480353
3/4"	Extension 3/4" - 175 mm	4932480403
3/4"	Extension 3/4" - 250 mm	4932480404
3/4"	Universal joint	4932480301
3/4"	Adaptor 3/4" - 1"	4932480406
3/4"	Reducer 3/4" - 1/2"	4932480405
3/4"	3/4" Security retaining ring	4932480450

VERSATILE
SOCKETS.
ANTI-ROLL
WRENCH READY.

1/4", 3/8" & 1/2" DRIVE SOCKETS



FOUR FLAT™ SIDES
Anti-roll, wrench-ready, Improved grip for hand tightening

STAMPED SIZES
Quick, easy size identification

CHROME-PLATED
Rust protection;
professional look;
easy cleaning

1/4" DRIVE SOCKETS, METRIC

SIZE (mm)	ART.#
4	4932479992
4.5	4932479993

1/4" DEEP DRIVE SOCKETS, METRIC

SIZE (mm)	ART.#
4	4932479994
4.5	4932479995

1/2" DRIVE SOCKETS, METRIC

SIZE (mm)	ART.#
8	4932480006
9	4932480007
10	4932480008
11	4932480009
12	4932480010
13	4932480011
14	4932480012
15	4932480013
16	4932480014
17	4932480015
18	4932480016
19	4932480017
20	4932480018
21	4932480019
22	4932480020
23	4932480021
24	4932480022
25	4932480023
26	4932480024
27	4932480025
28	4932480026
30	4932480027
32	4932480028
36	4932480029

1/2" DEEP DRIVE SOCKETS, METRIC

SIZE (mm)	ART.#
10	4932480030
11	4932480031
12	4932480032
13	4932480033
14	4932480034
15	4932480035
16	4932480036
17	4932480037
18	4932480038
19	4932480039
20	4932480040
21	4932480041
22	4932480042
23	4932480043
24	4932480044
27	4932480045
30	4932480046
32	4932480047
36	4932480048

3/8" DRIVE SOCKETS, METRIC

SIZE (mm)	ART.#
20	4932479996
21	4932479997
22	4932479998
23	4932479999
24	4932480000
10 pc 3/8" Drive Metric Chrome Sockets	4932492507

3/8" DEEP DRIVE SOCKETS, METRIC

SIZE (mm)	ART.#
20	4932480001
21	4932480002
22	4932480003
23	4932480004
24	4932480005
10 pc 3/8" Drive Metric Deep Chrome Sockets	4932492509

RATCHETS

	ART.#
① 1/4" Drive compact ratchet	4932479646
② 1/4" Drive long ratchet	4932479647
③ 3/8" Drive compact ratchet	4932479650
④ 3/8" Drive long ratchet	4932479651
⑤ 1/2" Drive long ratchet	4932479654



SCAN TO VIEW
THE SOCKETS & RATCHET RANGE



M12 UCL-0 | ART.# 4933478868 (Available as 0-version only)

M12 UNDERCARRIAGE LIGHT



3 light output modes with a 30 cm magnetic storage tray

Dual joints swivel 300° horizontally and 180° vertically for full under carriage illumination

Magnetic base for mounting applications

FEATURES:

- TRUEVIEW™ high definition lighting with up to 1200 lumens
- Up to 15 hours of run time on M12™ 4.0 Ah battery pack
- Designed for the on-the-go needs of automotive maintenance and service trades
- Dual joints swivel 300° horizontally and 180° vertically to ensure full undercarriage illumination coverage
- Magnetic base for mounting applications & 30 cm magnetic storage tray to hold nuts & bolts

KIT INCLUDES:



1200 LUMENS

High	1200 Lumens	5 hr
Medium	800 Lumens	8 hr
Low	600 Lumens	15 hr

REDLITHIUM™

L4 SL550-301 | ART.# 4933478869

USB RECHARGEABLE STICK LIGHT 550 LUMENS



4 light output modes with impact and chemical resistant lens

Versatile attachment with magnet or hang hook

220° vertical light head rotations

550 LUMENS

IP54

KIT INCLUDES:



INSPECTION

High	250 Lumens	2 hr
Low	100 Lumens	5 hr

DUAL PANEL

High	550 Lumens	2 hr
Low	250 Lumens	5 hr

SINGLE PANEL

High	550 Lumens	2 hr
Low	250 Lumens	5 hr

REDLITHIUM™
USB

ENGINE WORK

M12 UHL-0 | ART.# 4933459432 (Available as 0-version only)

M12 LED UNDERHOOD LIGHT



UNDER HOOD

UNDER CARRIAGE

ANYWHERE ELSE

Perfect for work in the engine thanks to downward light and hands free use

Ability to be mounted or rested on the ground

A detachable light bar is useful inside the cabin for fleet modifications to new vehicles, wiring work, or for the exterior for finding scratches or dents in the body and many other applications

MOUNTING HOOKS EXTEND

119 CM - 196 CM
(47" - 77")

COVERING WIDE CARS AND TRUCKS.

KIT INCLUDES:



High	1350 Lumens	4 hr
Low	600 Lumens	6 hr

HANG ANYWHERE WITH STAINLESS STEEL HOOK

FISHGUARD™ HOOKS FOR LASTING PROTECTION

2X THE GRIPPING SURFACE

2000 LUMENS

IP54

REDLITHIUM™

L4 NL400-301 | ART.# 4933479898

USB RECHARGEABLE NECK LIGHT 400 LUMENS



130° vertical light head rotations for complete light head adjustability

Up to 400 lumens

Up to 8 hours of run time

IP50 rated for dust resistance and can withstand up to 2 m drops

Ergonomic, sweat resistant band for increased comfort

Resistance to most chemicals found in auto body shops

KIT INCLUDES:



REDLITHIUM™

NEW M12 ATB-0C | ART.# 4933480755
M12 AUTOMOTIVE TECHNICIAN BORESCOPE

4.3" LCD SCREEN

720 P RESOLUTION

Delivers crisp, clear images to be able to look for fine chips in engine block, hairline cracks in valves and small fuel or oil leaks

INTERCHANGEABLE CAMERA & CABLE

FRONT & SIDE VIEW CAMERA

KIT INCLUDES:



M12 ATB



KITBOX



Milwaukee PERFECTMATCH
5.0 MM DIGITAL CABLE FOR M12 ATB
4932492938



REDLITHIUM™

2267-40 | ART.# 4933451906

10:1 INFRARED TEMP-GUN™

FEATURES:

- 10:1 distance to spot ratio, a 1 m spot from 10 m away
- Up to -30°C to 400°C temperature range
- Premium LCD display for high readability
- Simplified buttons and setup for faster scanning
- Raised over-moulding protects lens and screen from direct impact



FOR MOTOR HEALTH CHECKS



KIT INCLUDES:



2267-40



2 AA INCLUDED

2212-20 | ART.# 4933447776

AUTO VOLTAGE / CONTINUITY TESTER



KIT INCLUDES:



2212-20



2 AAA INCLUDED

2200-40 | ART.# 4932352561

VOLTAGE DETECTOR



KIT INCLUDES:



2200-40



2 AAA INCLUDED

COMBINATION SPANNERS

SCAN TO VIEW
THE FULL COMBINATION SPANNER RANGE & SETS



MAXBITE™ COMBINATION SPANNERS

Description	Art.#
MAXBITE™ metric combination spanner - 6 mm	4932480197
MAXBITE™ metric combination spanner - 7 mm	4932480198
MAXBITE™ metric combination spanner - 23 mm	4932480199
MAXBITE™ metric combination spanner - 24 mm	4932480200
MAXBITE™ metric combination spanner - 25 mm	4932480201
MAXBITE™ metric combination spanner - 26 mm	4932480202
MAXBITE™ metric combination spanner - 27 mm	4932480203
MAXBITE™ metric combination spanner - 28 mm	4932480204
MAXBITE™ metric combination spanner - 29 mm	4932480205
MAXBITE™ metric combination spanner - 30 mm	4932480206
MAXBITE™ metric combination spanner - 32 mm	4932480207
MAXBITE™ metric combination spanner - 36 mm	4932480208

ROUNDED I-BEAM HANDLE

Comfortable in high torque applications

15° OFFSET BOX & 12 POINT BOX END

Improved accessibility in tight spaces

MAXBITE™ OPEN END

Up to 25% more torque

INK FILLED SIZE LABELS

Quick and easy size identification

CHROME FINISH

Professional look, easy cleaning



MAXBITE™ COMBINATION RATCHETING SPANNERS

Description	Art.#
MAXBITE™ ratcheting metric combination spanner - 6 mm	4932480209
MAXBITE™ ratcheting metric combination spanner - 7 mm	4932480210
MAXBITE™ ratcheting metric combination spanner - 24 mm	4932480211
MAXBITE™ ratcheting metric combination spanner - 25 mm	4932480212
MAXBITE™ ratcheting metric combination spanner - 27 mm	4932480213
MAXBITE™ ratcheting metric combination spanner - 30 mm	4932480214
MAXBITE™ ratcheting metric combination spanner - 32 mm	4932480215

ROUNDED I-BEAM HANDLE

Comfortable in high torque applications

DOUBLE STACKED PAWLS

Durable mechanism for longest ratchet life

MAXBITE™ OPEN END

Up to 25% more torque

144 TOOTH COUNT - 2.5° OF ARC SWING

More rotation, higher productivity

CHROME FINISH

Professional look, easy cleaning

INK FILLED SIZE LABELS

Quick and easy size identification



MAXBITE™ FLEXHEAD RATCHETING SPANNERS

Description	Art.#
MAXBITE™ flexhead ratcheting metric spanner - 8 mm	4932480181
MAXBITE™ flexhead ratcheting metric spanner - 9 mm	4932480182
MAXBITE™ flexhead ratcheting metric spanner - 10 mm	4932480183
MAXBITE™ flexhead ratcheting metric spanner - 11 mm	4932480184
MAXBITE™ flexhead ratcheting metric spanner - 12 mm	4932480185
MAXBITE™ flexhead ratcheting metric spanner - 13 mm	4932480186
MAXBITE™ flexhead ratcheting metric spanner - 14 mm	4932480187
MAXBITE™ flexhead ratcheting metric spanner - 15 mm	4932480188
MAXBITE™ flexhead ratcheting metric spanner - 16 mm	4932480189
MAXBITE™ flexhead ratcheting metric spanner - 17 mm	4932480190
MAXBITE™ flexhead ratcheting metric spanner - 18 mm	4932480191
MAXBITE™ flexhead ratcheting metric spanner - 19 mm	4932480192
MAXBITE™ flexhead ratcheting metric spanner - 20 mm	4932480193
MAXBITE™ flexhead ratcheting metric spanner - 21 mm	4932480194
MAXBITE™ flexhead ratcheting metric spanner - 22 mm	4932480195

ROUNDED I-BEAM HANDLE

Comfortable in high torque applications

DOUBLE STACKED PAWLS

Durable mechanism for longest ratchet life

MAXBITE™ OPEN END

Up to 25% more torque

ADJUSTABLE SET SCREW

For preferred flex head tension

144 TOOTH COUNT - 2.5° OF ARC SWING

More rotation, higher productivity

CHROME FINISH

Professional look, easy cleaning

INK FILLED SIZE LABELS

Quick and easy size identification



ART.# 48229215

HOOK & PICK SET

FEATURES:

- All-metal core for long-lasting durability and rust protection
- Chrome-plated shanks reduce corrosion and provide rust protection



ALSO AVAILABLE

Description	ART.#
Heavy Duty Hook & Pick Set (4 pc)	4932480568
8pc pick set	4932480569
Hose pick - flat tip	4932480570
Hose pick - hook	4932480571
Hose pick - bent 90 degrees	4932480572
Hose pick - bent 45 degrees	4932480573

ART.# 48229214

PRY BAR SET

FEATURES:


- Curved claw design reduces damage when pulling nails
- I-Beam design for added durability
- Hammer-ready strike cap improves leverage when working in tight and tricky spaces
- Comfortable Tri-Lobe handles for better grip
- All-chrome shafts for increased durability
- All-metal core for improved durability
- Includes: 200 mm - 300 mm - 450 mm - 600 mm



REPAIRS

M18 FDGRB-0 | ART.# 4933480952

M18 FUEL BRAKING DIE GRINDER GEN II



KIT INCLUDES:



M18 FDGRB



RECOMMENDED PPE

IMPACT CUT
E GLOVES -
9/L

4932479571



REDLITHIUM™

NEW

M18 FSAGV115XPDB-0 | ART.# 4933478774

M18 FUEL 115 MM VARIABLE SPEED & BRAKING ANGLE GRINDER



KIT INCLUDES:



M18 FSAGV115XPDB



HD BOX



FLAP DISCS
CERA TURBO™
4932472229

METAL GRINDING
DISCS PRO+
4932451502

REDLITHIUM™

M12 FBFL10-0 | ART.# 4933480958

M12 FUEL BANDFILE 10 MM

TOOL- FREE BELT CHANGE

360° TOOL-FREE HEAD ADJUSTMENT

LED LIGHTS

REVERSE MODE FUNCTIONALITY

TRIGGER LOCK

7200-14,500 RPM & VARIABLE SPEED TRIGGER

KIT INCLUDES:



M12 FBFL10

BAND FILE ACCESSORIES

Size 10 x 330 mm	Grit	Pack Size	ART.#
Ceramic sanding belts	60	10	4932492874
Ceramic sanding belts	80	10	4932492875
Ceramic sanding belts	120	10	4932492876
Fleece belts	Coarse	5	4932492877
Fleece belts	Medium	5	4932492878
Fleece belts	Fine	5	4932492879
Polishing belt	Super Fine	3	4932492880

RECOMMENDED PPE

PACK HI-DEX
CUT C GLOVES -
9/L - 12 PC
4932480513



REDLITHIUM™

M12 FBFL13-402B | ART.# 4933480962 (Also available as 0-version)

M12 FUEL BANDFILE 13 MM

TOOL- FREE BELT CHANGE

360° TOOL-FREE HEAD ADJUSTMENT

LED LIGHTS

REVERSE MODE FUNCTIONALITY

TRIGGER LOCK

7200-14,500 RPM & VARIABLE SPEED TRIGGER

KIT INCLUDES:



M12 FBFL13



M12 B4



C12 C



TOOL BAG

BAND FILE ACCESSORIES

Size 10 x 330 mm	Grit	Pack Size	ART.#
Ceramic sanding belts	60	10	4932492881
Ceramic sanding belts	80	10	4932492882
Ceramic sanding belts	120	10	4932492883
Fleece belts	Coarse	5	4932492884
Fleece belts	Medium	5	4932492885
Fleece belts	Fine	5	4932492886
Polishing belt	Super Fine	3	4932492887

RECOMMENDED PPE

FFP2 RES-
PIRATOR W/
VALVE - 10 PC
4932478548



REDLITHIUM™

M18 FPD3-502X | ART.# 240v: 4933479861

M18 FUEL PERCUSSION DRILL

FEATURES:

- Higher power efficiency under load with outstanding torque of 158 Nm
- Extremely compact design of 175 mm length for access into tight spaces
- AUTOSTOP™ control mode offers enhanced safety for the operator by preventing over-rotation in a bind-up
- 13 mm metal chuck for quick bit changes and bit retention
- Fastest drilling and driving applications under load

KIT INCLUDES:



OUTSTANDING TORQUE OF 158 Nm

REDLITHIUM™

M18 FID3-502X | ART.# 240v: 4933479866

M18 FUEL 1/4" HEX IMPACT DRIVER

FEATURES:

- Higher power efficiency under load with outstanding torque of 226 Nm
- Faster driving speed vs. previous model, up to 3900 rpm and 4400 ipm
- Extremely compact design, total length of just 113 mm for access into tight spaces
- DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

KIT INCLUDES:



REDLITHIUM™

STEP DRILLS



Description	Shank diameter (mm)	Overall length (mm)	No. of steps	ART.#
4-12 mm/1	6	65	9	48899302
4-20 mm	8	65	9	48899320
6-35 mm	10	90	14	48899335
6-40.5 mm	10	90	17	48899340
① Step drill set (3 pc)				48899399
Includes 3 step drill bits: 4 - 12 mm/1, 4 - 20 mm, 6 - 35 mm				
② Step & drill bit combo set (10 pc)				48899350
Includes 2 x step drill bits: 4 - 12 mm/1, 4 - 20 mm. THUNDERWEB™ metal drill bits: 2 x 2 mm, 2 x 3 mm, 2 x 4 mm, 1 x 5 mm, 1 x 6 mm				

THUNDERWEB™ SETS



ART.#
① THUNDERWEB™ HSS-G set (19 pc) Ø 1/1.5/2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10 mm 4932352374
② THUNDERWEB™ HSS-G set (25 pc) Ø 1/1.5/2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10/10.5/11/11.5/12/12.5/13 mm 4932352376

M12 FDD2-602X | ART.# 4933479970

M12 FUEL SUB COMPACT DRILL DRIVER

FEATURES:

- Most compact 12V hammer drill on the market
- Lightweight weighing less than 950g
- Shortest OAL with only 151mm (17mm shorter than the current generation)
- 45Nm of torque
- 13 settings for covering a range from 1.1Nm to 6.8Nm

KIT INCLUDES:



REDLITHIUM™

M18 FMDP-502C | ART.# 4933451013

M18 FUEL MAGNETIC DRILLING PRESS WITH PERMANENT MAGNET

FEATURES:

- AUTOSTOP™ lift-off detection: Detects excess rotation and automatically cuts power to the drill for best user protection
- Self-powered permanent magnet with 8,890 N of holding force
- Maximum drilling capacity of 38 mm with use of annual cutters and 13 mm straight shank twist drill bits
- Keyless 19 mm Weldon reception

KIT INCLUDES:



REDLITHIUM™

SHOCKWAVE™ STEP DRILLS

FEATURES:

- Designed to deliver best-in-class performance in impact drivers and also the versatility to be used in drill drivers
- The 1/4" Hex shank with an optimised SHOCKZONE™ ensures maximum durability by preventing early shank breaks
- New Titanium Aluminium Nitride coating helps to reduce heat generation
- RAPID STRIKE TIP™: Accurate start without walking and fast drilling without the need to pre-drill the material



Description	Shank diameter (mm)	Overall length (mm)	No. of steps	ART.#
4-12 mm/1"	1/4" Hex	83	9	48899261
4-12 mm/2"			5	48899262
4-20 mm			9	48899263
4-30 mm		95	12	48899265
SHOCKWAVE™ Impact Duty step drill set (3 pc) Includes 3 SHOCKWAVE™ step drill bits: 4-12 mm/1, 4-20 mm, 4-30 mm				48899266

ART.# 4932471274

SHOCKWAVE™ RIGHT ANGLE ATTACHMENT

FEATURES:

- Very compact design: only 36 mm in height and a true 90° angle to allow access into confined spaces
- Impact rated: suitable to use with latest 18 V impact drivers as well as cordless drill drivers
- For all 1/4" Hex driving and drilling accessories

Includes
10 x screwdriving bits: PH2 / PZ1 / PZ2 x 2 / PZ3 / TX10 / TX15 / TX20 / TX25 / TX30.
1 x Right Angle Attachment



SHOCKWAVE™ IMPACT DUTY SETS

Description	Contents	ART.#
SHOCKWAVE™ IMPACT DUTY drill/drive set (48 pc)	SHOCKWAVE™ screwdriving bits: 32 x 25 mm length: 2 x PH1 / 2 x PH2 / 1 x PH3, 2 x PZ1 / 3 x PZ2 / 1 x PZ3, 3 x TX10 / 3 x TX15 / 3 x TX20 / 3 x TX25 / 3 x TX30 / 1 x TX40, 1 x Hex 4 mm / 1 x Hex 5 mm, 1 x SL 0.6 x 4.5 / 1 x SL 0.8 x 5.5 / 1 x SL 1.2 x 6.5, 8 x 50 mm length 1 x PH1 / 1 x PH2, 1 x PZ2, 1 x TX10 / 1 x TX15 / 1 x TX20 / 1 x TX25 / 1 x TX30, 3 x 90 mm length 1 x PZ2, 1 x TX20 / 1 x TX25, 1 x SHOCKWAVE™ magnetic bit holder 60 mm length, 4 x SHOCKWAVE™ 1/4" Hex drill bits: Ø 3 / 4 / 5 / 6 mm	4932472057
SHOCKWAVE™ IMPACT DUTY bit set (32 pc)	SHOCKWAVE™ screwdriving bits: 31 x 25 mm length: 1 x PH1 / 2 x PH2 / 1 x PH3, 1 x PZ1 / 2 x PZ2 / 1 x PZ3, 2 x TX10 / 2 x TX15 / 3 x TX20 / 2 x TX25 / 2 x TX30 / 1 x TX40, 1 x TX B07 / 1 x TX B08 / 1 x TX B09 / 1 x TX B010 / 1 x TX B015 / 1 x TX B020 / 1 x TX B025, 1 x Hex 3 mm / 1 x Hex 4 mm / 1 x Hex 5 mm / 1 x Hex 6 mm, 1 x SHOCKWAVE™ locking bit holder 1/2" Hex reception 73 mm long	4932464240
SHOCKWAVE™ IMPACT DUTY bit set (40 pc)	SHOCKWAVE™ screwdriving bits: 25 x 25 mm length: 1 x PH1 / 2 x PH2, 1 x PZ1 / 3 x PZ2, 2 x TX10 / 2 x TX15 / 3 x TX20 / 2 x TX25 / 2 x TX30 / 1 x TX40 / 1 x TX50, 1 x Hex 4 mm / 1 x Hex 5 mm, 1 x SL 0.6 x 4.5 / 1 x SL 0.8 x 5.5 / 1 x SL 1.2 x 6.5, 8 x 50 mm length 1 x PH2, 1 x PZ1 / 1 x PZ2, 1 x TX10 / 1 x TX15 / 1 x TX20 / 1 x TX25 / 1 x TX30, SHOCKWAVE™ magnetic bit holder: 1 x 60 mm length, 1 x 152 mm length, 3 x SHOCKWAVE™ 1/2" Hex drill bits: Ø 3 / 4 / 5 mm, 2 x SHOCKWAVE™ magnetic nut drivers: 48 mm length 1 x Hex 8 mm / 1 x Hex 10 mm	4932430908



ART.# 4932459781

SHOCKWAVE™ KNUCKLE™ OFFSET ATTACHMENT

FEATURES:

- Offset attachment for heavy duty impact applications
- Impact rated: Can be used with both cordless and impact drills
- Very compact offset attachment
- Ideally suited to working in confined and limited spaces
- Solid metal construction to absorb impact action

Includes
10 x screwdriving bits: PH1 / PH2 x 2 / PZ1 / PZ2 x 2 / PZ3 / TX15 / TX20 / TX25.
1 x Knuckle™



M18 FSZ-501X | ART.# 4933478292

M18 FUEL SAWZALL™

FEATURES:

- Brushless POWERSTATE™ motor for up to 5x longer motor life and up to 30% faster cutting comparing to previous brushed model
- Patented gear protecting clutch - extends gear and motor life by absorbing high impact forces caused by sudden blade lock-ups
- Wear resistant lever actuated FIXTEC™ blade clamp provides fast and easy blade changes
- Metal reinforced battery connection provides improved durability and battery retention over life
- Durable metal rafter hang hook for work space management and safety
- Built-in LED light illuminates the work surface while cutting
- Adjustable shoe for optimised use of saw blades

KIT INCLUDES:



THE EXTREMELY DURABLE SAWZALL™



REDLITHIUM™

M18 FHZ-502X | ART.# 4933459886

(Also available as 0-version)

M18 FUEL HACKZALL™



- 22 mm stroke length
- No load stroke rate of 3000 spm

KIT INCLUDES:



M12 CHZ-602X | ART.# 4933451908

(Also available as 0-version)

M12 FUEL SUB COMPACT HACKZALL™



- 15.9 mm stroke length
- No load stroke rate of 3000 spm

KIT INCLUDES:



C12 HZ-202C | ART.# 4933441198

(Also available as 0-version)

M12 SUB COMPACT HACKZALL™



- 13 mm stroke length
- No load stroke rate of 3000 spm

KIT INCLUDES:



REDLITHIUM™

METAL: HEAVY DUTY TORCH™ CARBIDE TEETH



THE TORCH™ CARBIDE TEETH

- Carbide teeth provide for long life in thick metals.
- Up to 50x more life compared to Bi-Metal blades

LENGTH	PACK QTY	ART.#
150 mm	1	48005201
230 mm	1	48005202
300 mm	1	48005203

METAL: HEAVY DUTY TORCH™ DEMOLITION BLADES

- Bi Metal, shatter resistant 1.06 mm thick blade for precise cuts in sheet metal and pipes



LENGTH	TPI	PACK QTY	ART.#
150 mm	18	5	48005784
Ice Edge 150 mm	18	5	48004784
230 mm	18	5	48005788
Ice Edge 230 mm	18	5	48004788
150 mm	14	5	48005782
Ice Edge 150 mm	14	5	48004782
230 mm	14	5	48005787
Ice Edge 230 mm	14	5	48004787

HACKZALL™ BLADES



HACKZALL™

- Especially engineered blades for exclusive use on 12 V HACKZALL™

10PC HACKZALL™ SET
ART.# 49220220



CHECK OUT THE

MULTI-TOOL RANGE



	M18 FMT-522X	M18 BMT-421C	M12 FMT-422X	C12 MT-402B
Motor technology	FUEL™	Brushed	FUEL™	Brushed
Oscillation angle left/right (°)	2.1	1.7	1.8	1.5
No load speed (rpm)	10,000-20,000	12,000-18,000	10,000-20,000	5,000-20,000
Weight with battery pack (kg)	1.9	1.7	1.2	1.2
Kit included	1 x M18 B5, 1 X M18 B2 Battery packs, M12-18 FC Charger, HD Box	1 x M18 B4, 1 x M18 B2 Battery packs, M12-18 C Charger, Kitbox	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box	2 x M12 B4 Battery packs, C12 C Charger, Bag
ART.#	4933478493	4933446272	4933472240	4933441708

REDLITHIUM™

WOOD WITH NAILS 20 MM NARROW PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906000



MULTI MATERIAL 28 MM PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906031



MULTI MATERIAL 35 MM PLUNGE CUT CARBIDE TOOTHED BLADE FOR EXTRA LONG-LIFE
ART.# 48906040



MULTI MATERIAL 85 MM DIAMETER SEGMENTED FLUSH CUT BLADE
ART.# 48906038



WOOD WITH NAILS 65 MM PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906027



WOOD WITH NAILS 35 MM PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906021



MULTI MATERIAL 43 MM PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906035



MULTI MATERIAL 100 MM DIAMETER SEGMENTED FLUSH CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906039



M12 BLROT-0 | ART.# 4933493591

M12 BRUSHLESS ROTARY TOOL

12 speed settings

3.2 mm collet

Soft grip and low vibration

5000 rpm to 27,500 rpm

0.36 KG



REDLITHIUM™



AUTO GLASS INSTALLATION



REMOTE SPEED DIAL AND VARIABLE SPEED TRIGGER
6 speed settings

QUICK CHANGE COLLAR, INTERCHANGEABLE TUBE HOLDERS
End-users selection between 4 different versions

HIGH POWER
Up to 4500 N of force

C18 PCG/600T-201B | ART.# 4933441810
M18 CAULK GUN WITH 600 ML TUBE



KIT INCLUDES:



Also available with aluminium tube:

C18 PCG/600A-201B | ART.# 4933448758



KIT INCLUDES:



C18 PCG/400T-201B | ART.# 4933441814
M18 CAULK GUN WITH 400 ML TUBE



KIT INCLUDES:



M12 PCG/600A-201B | ART.# 4933448764
M12 SUB COMPACT CAULK GUN WITH 600 ML TUBE



KIT INCLUDES:



M12 PCG/400A-201B | ART.# 4933451225
M12 SUB COMPACT CAULK GUN WITH 400 ML TUBE



KIT INCLUDES:



REDLITHIUM™

M12 FTB-0 | ART.# 4933472215 (Available as 0-version only)

M12 FUEL TYRE BUFFER

FEATURES:

- Two speed mode selector for reaming (1200 RPM) & buffing applications (2500 RPM)
- Ability to complete around 10 tyre patch repairs with one M12 B2 battery charge
- Optimal speed settings in order to avoid burning or damaging the tyre
- Variable speed trigger provides outstanding control of the tool
- Trigger lock-off extends the life of the tool and battery
- Pneumatic performance with cordless convenience for better accessibility and manoeuvrability in tight spaces

KIT INCLUDES:



SUSTAINED POWER WITHOUT BOGGING DOWN

REDLITHIUM™

BODYWORK

M18 FROP15-502X | ART.# 4933479823 (Also available as 0-version)

M18 FUEL RANDOM ORBITAL POLISHER WITH 15 MM STROKE

IDEAL FOR REMOVING **SWIRLS** AND **LIGHT SCRATCHES**

LARGE ERGONOMIC FRONT GRIP AREA WITH OVERMOLD

IMPROVED BATTERY POSITIONING

Battery 90° rotated to prevent the battery touching the paint during polishing



125 MM BACKING PAD

VARIABLE SPEED 2 FINGER TRIGGER
with locking function

REMOVABLE DUST SCREEN

KIT INCLUDES:



STAY SAFE. STAY PRODUCTIVE.

RESPIRATORY PROTECTION
SEE PAGE 37



AVAILABLE WITH 21 MM STROKE
FROP21-0X
ART.# 4933478836



REDLITHIUM™

M18 FAP180-502X | ART.# 4933451551

M18 FUEL POLISHER

EFFECTIVE AT TAKING OUT **HEAVY SCRATCHES** AND **RESTORING A GREAT FINISH**

RUBBER OVER MOLD

8 POSITION VARIABLE SPEED DIAL

360 – 2200 rpm

SIDE AND 3 POSITION BAIL HANDLE

REMOVABLE DUST SCREEN

VARIABLE SPEED 2 FINGER TRIGGER
with locking function

KIT INCLUDES:



POLISHING PADS

Supplied with M18 FAP180-502X

LAMBSWOOL POLISHING DISC



ART.# 4932430395

POLISHING SPONGE HARD



ART.# 4932430396

POLISHING SPONGE SOFT



ART.# 4932430397

REDLITHIUM™

M12 BPS-421X | ART.# 4933447802 (Also available as 0-version)

M12 SUB COMPACT POLISHER /SANDER

FOR ACCESSING SMALL AREAS WHERE A LARGER PAD WILL NOT FIT WELL

FEATURES:

- Compact design with only 130 mm allows access to hard areas
- Variable 2 speed selection (0–2800/0–8300 RPM)
- Large capacity of 76 mm polishing sponge and 50 mm sanding pad size

KIT INCLUDES:



SUPPLIED WITH M12 BPS-421X

POLISHING / SANDING BACKING PAD

Thread: M9 x 0.75. Hook and loop fixation. For use with polishing sponges and abrasive paper
ART.# 4932430488

FIBRE DISC BACKING PAD

Thread: M9 x 0.75 to affix to tool. Knurled thread to fix coated abrasives and surface finishing products for coarse sanding applications, such as rust removal
ART.# 4932430492

POLISHING SPONGE HARD (YELLOW)

Hard sponge for use with aggressive polish for removal of deep scratches. Hook and loop fixation. For use with polishing / sanding backing pad
ART.# 4932430489

POLISHING SPONGE SOFT (WHITE)

Soft sponge for use with light polish for removal of small scratches. Hook and loop fixation. For use with polishing / sanding backing pad
ART.# 4932430490

LAMBSWOOL POLISHING PAD

Hook and loop fixation. For use with polishing / sanding backing pad
ART.# 4932430838

REDLITHIUM™

MICROFIBRE CLOTH

ART.# 4932430398

M-CUT 1500

Cutting coarse
ART.# 4932430475

M-WAX 6000

Polishing / Finishing
ART.# 4932430476

SUITABLE FOR ALL POLISHERS

CLOTH / POLISHING COMPOUNDS

M12 CML-401 | ART.# 4933479367

M12 LED COLOUR MATCHING LIGHT

FEATURES:

- High definition lighting with up to 1000 lumens
- 98+ colour rendering index for use to identify accurate and reliable colour recognition
- Featuring 5 different colour temperatures, for end users to replicate real sunlight requirements
- Up to 14 hours of run time on M12™ 4.0 Ah battery pack
- IP54 rated for water and dust resistant and 2 m impact resistant
- Magnetic attachment for hands-free use

KIT INCLUDES:



● 27	● 35	● 45	● 55	● 65
COLOUR				
High	Medium	Low	1000 Lumens	4 hr
			600 Lumens	6 hr
			300 Lumens	12 hr

1000 LUMENS

IP54

REDLITHIUM™

M18 BHG-502C | ART.# 4933459773 (Also available as 0-version)

M18 HEAT GUN

REACHES OPERATIONAL TEMPERATURE OF 470° IN LESS THAN 7 SECONDS

- Supplied with 2x nozzles:
1x reduction nozzle for heat intensity on a specific area, 1x reflector nozzle to apply heat around an object, such as pipes

KIT INCLUDES:



SMALL THIN WALL HEAT SHRINK

HEAT SHRINK CONNECTORS

REMOVING DECALS

Damaged wire repair, bundling wires

Common Sizes: 6 mm, 9 mm, 12 mm

Damaged wire repair

Common sizes: 16GA – 14GA (Blue)

Remove existing decals from vehicles

REDLITHIUM™

M18 ONEFPRT-202X | ART.# 4933478603

M18 FUEL RIVET TOOL WITH ONE-KEY™

ONE-KEY™
UNLOCKING THE DIGITAL JOBSITE.

PREMIUM STEEL ALLOY JAWS

ALL METAL GEARCASE

LANYARD RING

SEMI-CLEAR MANDREL COLLECTOR

RETENTION NOSE PIECES

Holds blind rivet in tool, in any orientation, after insertion

LED LIGHT

ON-BOARD NOSE PIECE & WRENCH STORAGE

PREMIUM RUBBER OVERMOLD

Protection against corrosive materials

BELT CLIP

KIT INCLUDES:



RETENTION NOSE PIECES SET FOR M18 FUEL™ RIVET TOOL WITH ONE-KEY™
ART.# 4932478961

ALSO AVAILABLE:

M12 BPRT-201X
ART.# 4933464406



REDLITHIUM™

VACUUM CLEANERS

Available as 0-version only

M18 FPOVL-0 | ART.# 4933478187

**M18 FUEL
PACKOUT™
WET/ DRY VACUUM**



FEATURES:

- Max. air flow of 1416 l/min & 117 mbar
- Usable on and off the PACKOUT™ stack
- The DEK 26 power tool connector allows for efficient dust extraction from power tools
- HEPA filter

Available as 0-version only

M18 FCVL-0 | ART.# 4933478185

**M18 FUEL COMPACT
VACUUM L-CLASS**



FEATURES:

- Max. air flow of 764 l/min & 184 mbar
- Dual cyclonic debris separation for larger jobsite debris
- HEPA filter

Available as 0-version only

M12 FVCL-0 | ART.# 4933478186

**M12 FUEL WET/
DRY VACUUM**



FEATURES:

- Max. air flow of 1275 l/min & 105 mbar
- The DEK 26 power tool connector allows for efficient dust extraction from power tools
- HEPA filter

Available as 0-version only

M12 AUN-0 | ART.# 4932479461

**M12 AIR-TIP™
UTILITY NOZZLE**



FEATURES:

- The universal reception fits to all MILWAUKEE® M12™ and M18™ cordless vacs and covers most common hose sizes (Ø 31.8 mm, 47.6 mm and 63.5 mm)

REDLITHIUM™

GREASE GUNS

FEATURES:

- Extreme long run time - dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics - only 355 mm long and 3.2 kg
- Air bleeder valve - priming mechanism for quick flow
- Integrated hose storage and shoulder strap loop - added user convenience and reducing down time
- Three way loading - bulk, cartridge and suction capable
- Grease capacity 400 ml cartridge, 473 ml bulk



M12 GG-0 | ART.# 4933440435

**M12 SUB COMPACT
GREASE GUN**



- Supplied with 914 mm x 14.4 mm high pressure flex hose with spring guard and grease coupler



M18 GG-0 | ART.# 4933440493

M18 GREASE GUN



- Supplied with 1219 mm high pressure flex hose with spring guard



REDLITHIUM™

M12 SI-201C | ART.# 4933459762

M12 SUB COMPACT SOLDERING IRON

OUTSTANDING ACCESS,
3-STOP PIVOTING HEAD

TOOL FREE TIP
CHANGE

HEATS QUICKLY
& MAINTAINS
OPTIMISED
TEMPERATURE
Ready to use in
20-30 seconds



KIT INCLUDES:



**PEN STYLE
- 0°**

**INNOVATIVE
45° SETTING**

**GUN STYLE
- 90°**



Delivers user ability to choose the orientation of the tool depending on the application without the hassle of cords or butane exhaust.

REDLITHIUM™

M18 BI-0 | ART.# 4933478706

M18 INFLATOR

OPTIMISED FOR PASSENGER, LIGHT TRUCK, AND OTHER MEDIUM-DUTY TYRES

FEATURES:

- Rated to deliver max 10.34 bar pressure, the high efficiency motor top off 285/75R16 light truck tyres in under 1 minute
- TRUEFILL™ technology: auto pressure check feature activates to ensure bar target is achieved, automatic shut- off at selected bar prevents overinflation
- Features 4 bar memory slots, anti-vibration feet, a 920 mm hose with an all-brass schrader chuck, and an on-board hose and nozzle storage



KIT INCLUDES:



ALSO AVAILABLE:

M12 BI-0
ART.# 4933464124
For car, truck
and off-road



REDLITHIUM™

STEEL STORAGE

ART.# 4932478851

78 CM (30") STEEL ROLLING CABINET

RECESSED, SMOOTH ABS WORKTOP

with screwdriver holes and additional storage compartments

PEG BOARD

with hooks and tool holders

30 KG RATED, SOFT-CLOSE DRAWERS

45 kg/90 kg on the bottom

SHOCK-ABSORBING CORNER BUMPERS

POWER TOOL ORGANISER



DEDICATED SPACE FOR MOUNTING ANY MILWAUKEE® M18™/M12™ CHARGER

compatible with all MILWAUKEE® chargers

MAGNETIC POWER CENTRE

ANTI-TILT PROTECTION

only 1 drawer can be open at a time

125 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling

ALSO AVAILABLE:

ART.# 4932478850

30" STEEL TOP CHEST

FEATURES:

- Integrated bottle storage
- Additional storage capacity



FOAM INSERTS

ART.# 4932479825

3/8" RATCHET AND SOCKET FOAM INSERT

CONTENTS:

- Standard & deep well sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Accessories: 76 and 152 mm extension, 3/8" universal joint



	Pack quantity	ART.#
Trilobe Screwdriver Foam Insert	23	4932479830
1/4" Ratchet and Socket Set Foam Insert	28	4932479824
3/8" Ratchet and Socket Set Foam Insert	32	4932479825
1/2" Ratchet and Socket Set Foam Insert	28	4932479826
MAX BITE™ Combination Spanner Set Foam Insert	15	4932479827
MAX BITE™ Ratcheting Combination Spanner Set Foam Insert	15	4932479828
MAX BITE™ Flex Head Ratcheting Spanner Set Foam Insert	15	4932479829

ART.# 4932478853 + 4932478855

117 CM (46") HIGH CAPACITY STEEL CABINET & TOP CHEST

GLOSSY FINISH

easy to clean

WORK TOP DRAWER

for using a laptop or making notes

45 KG RATED, SOFT-CLOSE DRAWERS

(90 kg for the bottom drawer)

DURABLE ANGLE FRAME

1360 kg total load capacity

150 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling



PEG BOARD ON THE BACK WALL

allows for an easy access to the most used tools

SAFETY DRAWER

locked separately for storing personal items, keys, wallet, documents, etc.

2X IN-BUILT POWER CENTRE

for charging batteries directly on the cabinet



POWER TOOL & BATTERY ORGANISER

in bottom two drawers

ART.# 4932478853

46" HIGH CAPACITY STEEL CABINET

ART.# 4932478855

46" HIGH CAPACITY STEEL TOP CHEST

ART.# 4932478857

102 CM (40") STEEL WORK CART

BUILT-IN STORAGE COMPARTMENTS, SCREWDRIVER HOLDERS, STORAGE CUPS

ensure a good organisation and easy access to most used tools and parts

MAGNETIC POWER CENTRE

for charging batteries directly on the work cart

ADJUSTABLE STORAGE BAR

for paper towels, spool wires

CORNER BUMPERS

90 KG RATED SLIDING BOTTOM SHELF

for easier access to bulky items like air compressors or tool boxes

FOLDABLE REAR SHELF

22 kg weight capacity

V-GROOVES

to hold material when cutting or measuring

45 KG RATED SOFT CLOSE DRAWER

2X MOVEABLE SHELVES

for storing bottles, sprays and other equipment

125 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling

DURABLE ANGLE FRAME

315 kg total load capacity




PACKOUT™ SHOP STORAGE

MODULAR STORAGE SYSTEM

VERSATILE, DURABLE

The MILWAUKEE® PACKOUT™ modular storage system revolutionises tool transportation, organisation and storage. Designed to provide users with the ability to interchange and interlock a wide assortment of heavy duty tool boxes, organisers and storage totes in multiple different configurations.



TRY OUR NEW
PACKOUT™ BUILDER
TO CREATE YOUR IDEAL KIT

packout.milwaukeeeetool.eu/uk

ART.# 4932492892

PACKOUT™ TRANSPORTATION KIT

FEATURES:

- 1 x PACKOUT™ Flat Trolley
- 1 x PACKOUT™ 2 Drawer Tool Box
- 1 x PACKOUT™ 3 Drawer Tool Box
- 1 x PACKOUT™ Customisable Work Surface



NEW

ART.# 4932493620

PACKOUT™ SHOP STORAGE POWER TOOL STARTER KIT

INCLUDES:

- PACKOUT™ XL mounting plate 4932480622
- PACKOUT™ drill storage station 4932480712
- M18™ battery holder 4932480709
- M12™ battery holder 4932480708



NEW

ART.# 4932493190

PACKOUT™ 2+1 DRAWER TOOL BOX

FEATURES:

- Steel ball bearing slides support up to 11 kg of weight per drawer
- Quick-Adjust Dividers in each drawer to fully customise the layout for better organisation
- Locking security bar prevents an unwanted opening of drawers during transit
- Allows to lock the drawers with a padlock for theft protection



OVER **25** POSSIBLE COMBINATIONS

NEW



PACKOUT™ Magnetic Bin 10 x 10 cm
4932493380

NEW



PACKOUT™ Magnetic Bin 10 x 20 cm
4932493381

NEW



PACKOUT™ Small Single Straight Hook
4932493383

NEW



PACKOUT™ Small Hook Row
4932493384

NEW



PACKOUT™ Magnetic Rack
4932493378

NEW



PACKOUT™ Wire Basket
4932493379



PACKOUT™ Straight Utility Hook
4932480700



PACKOUT™ Curved Utility Hook
4932480701



PACKOUT™ Large Hook
4932480702



PACKOUT™ Large S Hook
4932480703



PACKOUT™ Small Straight Utility Hook
4932480704



PACKOUT™ Small Curved Utility Hook
4932480705



PACKOUT™ Cup Holder
4932480706



PACKOUT™ Paper Towel Holder
4932480707



PACKOUT™ M12 Battery Holder
4932480708



PACKOUT™ M18 Battery Holder
4932480709



PACKOUT™ Pliers Rack
4932480710



PACKOUT™ Screwdriver Rack
4932480711



PACKOUT™ Drill Storage Station
4932480712



PACKOUT™ Small Shelf
4932480713



PACKOUT™ 10 x 10 cm Nest Bin
4932480698



PACKOUT™ 10 x 20 cm Nest Bin
4932480699



PACKOUT™ XL Mounting Plate
4932480622




PACKOUT™ Compact Mounting Plate
4932480621



PACKOUT™ Mounting Plate
4932471638

EXPLORE THE FULL
PACKOUT™ RANGE
ONLINE ►





M18 HOSALC-0 | ART.# 4933478117
M18 HIGH OUTPUT STAND AREA LIGHT CHARGER

MAX RUN TIME:
10 h with
M18 HB8



6000 LUMENS
IP34

M18 HOAL-0 | ART.# 4933478119
M18 HIGH PERFORMANCE AREA LIGHT



MAX RUN TIME:
12 h with M18 B5
4000 LUMENS

M12 AL-0 | ART.# 4933451394
M12 LED AREA LIGHT

Integrated magnets, clamping mechanism, and key hole for screws provide multiple mounting options.



MAX RUN TIME:
15 h with M12 B4

1000 LUMENS
IP54

M12 SL-0 | ART.# 4932430178
M12 LED STICK LIGHT



Adjustable metal hook allows for light to be hung in multiple orientations when being used.

MAX RUN TIME:
11 h with M12 B4

220 LUMENS
IP24

M18 PRCDAB+-0 | ART.# 4933472113
M18 PACKOUT™ RADIO-CHARGER



- DAB+ and AM/FM tuner
- BLUETOOTH® connectivity
- Built in charger

M18 RC-0 | ART.# 4933446647
M18 JOBSITE RADIO/CHARGER WITH BLUETOOTH™



- AC/DC versatility
- Built incharger function

M18 RADDAB+G2-0 | ART.# 4933492345
M18 JOBSITE RADIO DAB+

NEW



- DAB+/FM Tuner
- Cordless and AC compatible
- USB-C power outlet

M12 RCDAB+-0 | ART.# 4933472115
M12 RADIO CHARGER

- DAB+ and AM/FM tuner
- BLUETOOTH® connectivity
- Built in charger



M12 JSSP-0 | ART.# 4933448380
M12 JOBSITE BLUETOOTH™ SPEAKER



Bluetooth® wireless range of up to 10 m

M12-18 JSSP-0 | ART.# 4933459275
M12 - M18 BLUETOOTH™ SPEAKER



Bluetooth® wireless range of up to 30 m

REDLITHIUM™

M18 HB12 | ART.# 4932464260
M18 HIGH OUTPUT™ 12.0 Ah BATTERY



REDLITHIUM™ HIGH OUTPUT BATTERY

M18 HB8 | ART.# 4932471070
M18 HIGH OUTPUT™ 8.0 Ah BATTERY



REDLITHIUM™ HIGH OUTPUT BATTERY

M18 FB6 | ART.# 4932492533
M18 FORGE™ 6.0 AH BATTERY



REDLITHIUM™ FORGE

M18 HB5.5 | ART.# 4932464712
M18 HIGH OUTPUT™ 5.5 Ah BATTERY



REDLITHIUM™ HIGH OUTPUT BATTERY

M18 HB3 | ART.# 4932471069
M18 HIGH OUTPUT™ 3.0 Ah BATTERY



REDLITHIUM™ HIGH OUTPUT BATTERY

M18 B5 | ART.# 4932430483
M18 5.0 Ah BATTERY



M18 B4 | ART.# 4932430063
M18 4.0 Ah BATTERY



M18 B2 | ART.# 4932430062
M18 2.0 Ah BATTERY



M12 B6 | ART.# 4932451395
M12 6.0 Ah BATTERY



M12 B4 | ART.# 4932430065
M12 4.0 Ah BATTERY



M12 B3 | ART.# 4932451388
M12 3.0 Ah BATTERY



M12 B2 | ART.# 4932430064
M12 2.0 Ah BATTERY



L4 B3 | ART.# 4933478311
REDLITHIUM™ USB BATTERY



M12 HB5.0 | ART.# 4932480165
M12 HIGH OUTPUT™ 5.0AH BATTERY



M12 HB2.5 | ART.# 4932480164
M12 HIGH OUTPUT™ 2.5AH BATTERY



M12-18 SC | ART.# 4932471735
M12 - M18 SUPER CHARGER



M12-18 FC | ART.# 4932451080
M12 - M18 FAST CHARGER



M1418C6 | ART.# 4932430087
M14 - M18 MULTIBAY CHARGER



M18 DBSC | ART.# 4932492532
M18 DUAL BAY SUPER CHARGER



M12 C4 | ART.# 4932430555
M12 4 BAY CHARGER



C12 C | ART.# 4932352069
M12 CHARGER





TRADE ESSENTIALS

INKZALL™ LIQUID PAINT MARKERS

Description	ART.#
INKZALL™ liquid paint marker - white	48223711
INKZALL™ liquid paint marker - yellow	48223721
INKZALL™ liquid paint marker - black	48223731
INKZALL™ liquid paint marker - red	4932492143
INKZALL™ liquid paint marker - blue	4932492144

SCAN TO EXPLORE THE
INKZALL™
RANGE



ART.# 4932471359
SLIDING UTILITY KNIFE



ART.# 4932471357
FASTBACK™ FLIP UTILITY KNIFE



SCAN TO EXPLORE THE
KNIFE
RANGE



- One handed blade opening - flip open the blade with one hand for easy activation
- Integrated gut hook - make cuts without exposing the blade
- Tool free blade change - less down time in the field for blade changes
- Wire stripper - eliminates the need to look for another tool

PLIERS



Description	ART.#
PLIERS 200 mm WP Plier - 1 pc Adjustable Water pump plier 180 mm	4932492458
PLIERS 250 mm WP Plier - 1 pc Adjustable Water pump plier 240 mm	4932492459
PLIERS 300 mm WP Plier - 1 pc Adjustable Water pump plier 300 mm	4932492460

PLIERS



Description	ART.#
PLIERS 160 mm Diagonal C - 1 pc Diagonal cutting plier 160 mm	4932492463
PLIERS 180 mm Diagonal C - 1 pc Heavy Duty Diagonal cutting plier 200 mm	4932492464

COMBINATIONS PLIERS



Description	ART.#
Combination Plier 165 mm	4932492461
Combination Plier 180 mm	4932492462

ART.# 48224533
METAL SNIPS SET (3 PC)

INCLUDES:
Left (red),
Right (green),
Straight (yellow)
aviation snips



NEW CIRCLIP PLIERS

Description	ART.#
Small Circlip Plier - 0° - 0.9 mm tip	4932492487
Small Circlip Plier - 45° - 0.9 mm tip	4932492488
Small Circlip Plier - 90° - 0.9 mm tip	4932492489
Medium Circlip Plier - 0° - 1.2 mm tip	4932492490
Medium Circlip Plier - 45° - 1.2 mm tip	4932492491
Medium Circlip Plier - 90° - 1.2 mm tip	4932492492
Large Circlip Plier - 0° - 1.8 mm tip	4932492493
Large Circlip Plier - 45° - 1.8 mm tip	4932492494
Large Circlip Plier - 90° - 1.8 mm tip	4932492495

ADJUSTABLE WRENCHES



Total length (mm)	Jaw opening capacity for pipe (mm)	Jaw thickness (mm)	Tip thickness (mm)	Weight (g)	ART.#
150	24.5	11.5	7.7	186	48227406
200	30	14	8.7	353	48227408
200	40	14	8.1	385	48227508
250	36.5	16	9.9	535	48227410
150 mm (48227406) + 250 mm (48227410)					48227400

DEADBLOW HAMMERS

Description	ART.#
450 g Ball Peen Hammer	4932492346
680 g Ball Peen Hammer	4932492347
450 g Dead Blow Ball Peen Hammer	4932492348
907 g Dead Blow Ball Peen Hammer	4932492349
790 g Dead Blow Hammer	4932492350
1360 g Dead Blow Hammer	4932492351



ART.# 4932471871
DEMOLITION DRIVER



- Hardened all metal core giving maximum shank durability
- Multiple striking caps to give user more force when prying and chiselling
- Duct piercing tip allows to pierce through sheet metal


ART.# 4932492399
COMPACT HEX KEY 9 PC SET

Sizes	ART.#
1.5 mm	4932492400
2 mm	4932492401
2.5 mm	4932492402
3 mm	4932492403
4 mm	4932492404
5 mm	4932492405
6 mm	4932492406
8 mm	4932492407
10 mm	4932492408




TRILOBE SETS

ART.# 4932471806
TRI-LOBE SCREWDRIVER SET 1 (6 PC)



Content: PZ1 / PZ2 / SL3 / SL4 / SL5.5 / SL6.5

ART.# 4932471807
TRI-LOBE SCREWDRIVER SET 2 (6 PC)




Content: PH1 / PH2 / SL3 / SL4 / SL5.5 / SL6.5

ART.# 4932471808
TRI-LOBE SCREWDRIVER SET 3 (6 PC)



Content: PZ1 / PZ2 / PH1 / PH2 / SL3 / SL5.5 / SL6.5 / SL8

ART.# 4932471809
TRI-LOBE SCREWDRIVER TORX SET (6 PC)



Content: T10 / T15 / T20 / T25 / T30 / T40

ART.# 4932472003
TRI-LOBE SCREWDRIVER SET 4 (12 PC)



Content: PZ0 / PZ1 / PZ2 / PH0 / PH1 / PH2 / SL2.5 / SL4 / SL5.5 / SL6.5 / SL6.5 / SL8

TRADE ESSENTIALS

WWLSG
**WARM WEATHER
LONG SLEEVE
SHIRT (GREY)**

SIZES:
from S to XXL



WTLSG
**WORK T-SHIRT
LONG SLEEVE
(GREY)**

SIZES:
from S to XXL



WHB
**WORK HOODIE
(BLACK)**

SIZES:
from S to XXL



WWSSG
**WARM WEATHER
SHORT SLEEVE
SHIRT (GREY)**

SIZES:
from S to XXL



WTSSG
**WORK T-SHIRT
SHORT SLEEVE
(GREY)**

SIZES:
from S to XXL



KNEE PADS



Description	Internal Padding	Straps	ART.#
① Premium non-marking knee pads - 1 pair	Gel	2	4932478584
② Hard knee pads - 1 pair	Gel	2	4932478585
③ Flexible knee pads - 1 pair	Foam	1	4932479936

L4 HBLB-301
**HEATED BASE
LAYER**



SIZES:
from S to XXL

SCAN TO
VIEW OUR
**HEATED
WORKGEAR
RANGE**



L4 PWL-301 | ART.# 4933479765
**USB
RECHARGEABLE
PIVOTING WORK
LIGHT**



**MAX RUN
TIME:** 11.75 h
with L4 B3

**500
LUMENS**

IR FL500 | ART.# 4933478586
**INTERNAL USB
RECHARGEABLE
FLASHLIGHT**



**500
LUMENS**

IR HL450 | ART.# 4933478587
**INTERNAL USB
RECHARGEABLE
HEADLAMP**



**450
LUMENS**


L4 HLRP-301 | ART.# 4933479767
**USB
RECHARGEABLE
HARD HAT
HEADLAMP**



MAX RUN TIME:
28h with L4 B3

**600
LUMENS**
IP54

L4 FL-301 | ART.# 4933479763
**USB
RECHARGEABLE
POCKET FLOOD
LIGHT**



MAX RUN TIME:
12.5 h with L4 B3

**445
LUMENS**
IP54

L4 FFL-301 | ART.# 4933479766
**USB
RECHARGEABLE
FOLDING FLOOD
LIGHT**



MAX RUN TIME:
13.5 with L4 B3

**550
LUMENS**
IP54

IPL-LED | ART.# 4933459440
**ALKALINE PEN
LIGHT**



MAX RUN TIME:
3 h

**100
LUMENS**
IP67

**NITRILE
DISPOSABLE
GLOVES**



Description	Art. #
Nitrile Disposable Glove Size 7 Small	4932493233
Nitrile Disposable Glove Size 9 Medium	4932493234
Nitrile Disposable Glove Size 9 Large	4932493235
Nitrile Disposable Glove Size 10 X Large	4932493236
Nitrile Disposable Glove Size 11 XXL Large	4932480080

**FULLY DIP CUT A
GLOVES**



SIZES:
from S to XXL

**HIGH DEXTERITY
GLOVES**

CUT B GLOVES

CUT C GLOVES

CUT D GLOVES

SIZES:
from S to XXL



BANDED EAR PLUGS

32dB SNR
ALL-DAY COMFORT
3 WEARING POSITIONS



Description	ART.#
Banded ear protection - 1pc	4932478135
5 pairs TPR replacement	4932478549
5 pairs foam replacement	4932478550
Reusable corded ear plugs - 3pcs	4932471904
Foam ear plugs 10 pairs	4932480464
Foam ear plugs 200 pairs	4932480465

ART.# 4932471883

CLEAR SAFETY GLASSES



Also available with gasket



ART.# 4932471885



COMFORT



25 g
LIGHTWEIGHT

TRANSPORTATION PPE KIT

CONTENTS:

- Enhanced Safety Glasses Clear - 1pc
- Banded Ear Plugs - 1pc
- Hi-vis cut B gloves



Description	ART.#
Transportation PPE Kit - G.9/L	4932492064
Transportation PPE Kit - G.10/XL	4932492065

ART.# 4932471906

**FFP3 RESPIRATOR
WITH VALVE (10 PC)**



**99%
FILTERING
EFFICIENCY**



ONE-WAY VALVE



ANTI-CLOGGING



NOSE CLIP



STRAPS
ADJUSTABILITY

ART.# 4932478548

**FFP2 RESPIRATOR
WITH VALVE (10 PC)**



**94%
FILTERING
EFFICIENCY**



ONE-WAY VALVE



ANTI-CLOGGING



NOSE CLIP



STRAPS
ADJUSTABILITY

ART.# 4932478801

**FFP2 RESPIRATOR
FOLDABLE WITH
VALVE (15 PC)**



**94%
FILTERING
EFFICIENCY**



FLAT FOLD /
FOLDABLE



ONE-WAY VALVE



NOSE CLIP



STRAPS
ADJUSTABILITY


FIND THE RIGHT TOOLS FOR YOUR TRADE

www.milwaukeetool.co.uk



WITH OUR AUTOMOTIVE TRADE ZONE

We work directly with our core trades every day to produce the tools you need to improve the way you work.



TRANSPORT



WATCH OUR TRANSPORT TRADE VIDEOS AT
youtube.com/milwaukeetoolseurope



MILWAUKEE® Tool UK,
Suite A, Second Floor, Marlow International, Parkway, Marlow, SL7 1YL

Tel: +44(0) 1628 894400
Fax: +44(0) 1628 894401

www.milwaukeetool.co.uk

**LIFETIME
GUARANTEE**
MILWAUKEE® HANDTOOLS

2
YEAR
WARRANTY
MILWAUKEE
LITHIUM
BATTERIES

Milwaukee

AUTHORISED
DISTRIBUTOR

3
YEAR
WARRANTY
MILWAUKEE
POWER TOOLS